

Tag is a pigmented bovine leather. It's finished with a stonewash effect to achieve a timeless, aged look and a slight two tone effect. The appearance is semi-matte and the surface is smooth and soft to the touch.

Details

Thickness	0,9-1,1 mm
Leather type	Pigmented
Raw material	Extra European
Tannage	Chrome tannage
Dyeing	Dyed-Through Aniline
Finishing	Pigmented

Technical Characteristics *

Property	Performance	Test Method
Dry rub fastness	500 cycles val. ≥ 4 Grey Scale	UNI EN ISO 11640
Wet rub fastness	250 cycles val. $\geq 2/3$ Grey Scale	UNI EN ISO 11640
Alcaline perspiration rub fastness	80 cycles val. $\geq 2/3$ Grey Scale	UNI EN ISO 11640

Physical Characteristics *

Property	Performance	Test Method
Adhesion of finishing	≥ 2 N/10mm	UNI EN ISO 11644
Tear resistance	≥ 20 N	UNI EN ISO 3377-1
Flex resistance	50.000 cycles no damage	UNI EN ISO 5402
Flammability resistance	Pass	TBI 17-2013

Chemicals Characteristics *

Property	Performance	Test Method
pH determination and difference figure (Δ pH)	$\text{pH} \geq 3,2 / \Delta \text{pH} \leq 0,7$	UNI EN ISO 4045
Azo-dyes (Directive 2002/61/CE)	Absents (< 30 ppm)	UNI CEN ISO/ITS 17234
Pentachlorophenol content	< 5 ppm	UNI EN ISO 17070
Exavalent Chromium content	< 3 ppm	UNI EN ISO 17075
Formaldehyde content	< 75 ppm	UNI CEN ISO/ITS 17226
Lead content in finish	≤ 90 ppm	CPSC-CH-E 1003-09.1
Cadmium content finish	≤ 75 ppm	CPSC-CH-E 1003-09.1

* Tests are performed on intact leather not manipulated.

Our leather standards comply with requirements of REACH Regulation.

Cleaning and Maintenance

Remove with a soft and dry cloth for regular cleaning.

Don't rub and never use abrasive or aggressive products like solvents, stain removers, etc.

We recommend to avoid the exposure to direct sun and direct heat.